





PRICES LIST 2025 V 1

(FROM 01 MARCH 2025)










INDEX			
INTRUSION SIGNALLING	Pag 2 to 5	SPECIAL PRODUCTS	Pag 13 to 15
• OUTDOOR SIRENS	Pag 2 to 5	• MINI CONTROL	Pag 13
• INDOOR SIRENS	Pag 5	• SMOKE	Pag 13
FIRE SIGNALLING	Pag 6 to 8	• WI-FI INTERFACE	Pag 13
• CPR	Pag 6	• UNIVERSAL LIGHTING SIGNALLING	Pag 15
• OUTDOOR SIRENS	Pag 6	• ELECTROMAGNETIC FIRE DOORS HOLDER	Pag 15
• INDOOR SIRENS	Pag 7	• RELE'	Pag 15
• INDOOR SIRENS	Pag 7 to 8	• CONTROL SHUTTERS	Pag 15
• REMOTE INDICATORS	Pag 8	ACCESSORIES & SPARE PARTS	Pag 16 to 21
EVACUATION SIGNALLING	Pag 9 to 11	• POWER SUPPLY	Pag 16 to 17
• EV-COM SYSTEM	Pag 9 to 10	• SECURITY CABINETS FOR TVCC SYSTEMS	Pag 17
• STAND ALONE UNIT EVACUATION	Pag 11	• ACCESSORIES ELECTROMAGNETIC FIRE	Pag 17 to 18
SECURITY EXIT DOORS PROTECTION	Pag 12	• ACCESSORIES	Pag 18 to 19
• PANELS	Pag 12	• SIGNS INDICATOR	Pag 19 to 21
• SIREN	Pag 12	PERSONALIZATION	Pag 22 to 23
• ACCESSORIES	Pag 12	• LABEL	Pag 22 to 23
SALES CONDITIONS			Pag 24



INTRUSION SIGNALLING				
OUTDOOR SIREN				
MOON Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	MOON J 1?	€ 162,00	Self-powered outdoor siren, μ P, 13.8Vdc. Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	06
CE	MOON J/AS 1?	€ 173,20	Same features as MOON J, with electromechanical foam protection system.	06
CE	MOON S 1?	€ 182,60	Self-powered outdoor siren, intelligent battery connection, low power consumption, programming flash / sound signaling system status, OC fault output, μ P management, 13.8Vdc, programmable functions. Flashing orange LED light with diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	06
CE	MOON S/AS 1?	€ 195,70	Same features as MOON S, with electromechanical foam protection system.	06
CE	MOON V 1?	€ 308,00	Self-powered optical-acoustic and optical-vocal outdoor siren, μ P, 13.8Vdc. Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	06
CE	MOON V/AS 1?	€ 321,00	Same features as MOON V, with electromechanical foam protection system.	06
CE	MOON 11 CIVETTA	€ 54,80	Same features as MOON, fake	---
CE	MOON WL 1?	€ 307,00	Wireless siren bidirectional and supervised, 6Vdc power supply, dual-frequency communication (433MHz primary, 868MHz secondary) Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). "low battery" acoustic signaling, ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	06
CE	MOON WL/AS 1?	€ 311,00	Same features as MOON WL, with electromechanical foam protection system.	06
CE	MSG WL	€ 186,00	Transceiver for wireless siren series MOON and VENUS WL, 12Vdc power supply, 0,02A absorption, siren activation positive to loose command, control signaling system ON/OFF negative to give command, manage up to 4 sirens, output for tamper signaling / fault, output O/C fault, central programming available, modulation / activation status signaling optical system / activation status signaling acoustic system / daily cycles / flashing type, opening electromechanical tamper, protection level IP 42.	06
CE	KIT/MOON WL 1?	€ 487,00	KIT Completed by N°01 MOON WL Wireless siren bidirectional and supervised N°01 MGS WL Transceiver for wireless siren series MOON and VENUS WL	06
CE	KIT/MOON WL/AS 1?	€ 503,00	Same features as KIT/MOON WL, with electromechanical foam protection system.	06
CE	External cover painted color	Request	External cover series MOON J-S-V-WL grey (2x), red (4x), beige (5x)	06

VENUS Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	VENUS J 1?	€ 162,00	Self-powered outdoor siren, µP, 13.8Vdc. Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	10
CE	VENUS J/AS 1?	€ 174,20	Same features as VENUS J, with electromechanical foam protection system.	10
CE	VENUS S 1?	€ 188,50	Self-powered outdoor siren, intelligent battery connection, low power consumption, programming flash / sound signaling system status, OC fault output, uP management, 13.8Vdc, programmable functions. Flashing orange LED light with diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	10
CE	VENUS S/AS 1?	€ 202,00	Same features as VENUS S, with electromechanical foam protection system.	10
CE	VENUS V 1?	€ 316,00	Self-powered optical-acoustic and optical-vocal outdoor siren, µP, 13.8Vdc. Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). System status indication LED. ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	10
CE	VENUS V/AS 1?	€ 326,00	Same features as VENUS V, with electromechanical foam protection system.	10
CE	VENUS CIVETTA	€ 60,80	Same features as VENUS, fake	---
CE	VENUS WL 1?	€ 308,00	Wireless siren bidirectional and supervised, 6Vdc power supply , dual-frequency communication (433MHz primary, 868MHz secondary) Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3), blue colour (?=4). "low battery" acoustic signaling, ABS base. Electro galvanized steel sheet internal cover with cataphoresis treatment. UV stabilized ABS external cover. White colour. Bubble centering. Opening and removal tamper button. Degree of protection IP 34.	10
CE	VENUS WL/AS 1?	€ 316,20	Same features as VENUS WL, with electromechanical foam protection system.	10
CE	MSG WL	€ 186,00	Transceiver for wireless siren series MOON and VENUS WL, 12Vdc power supply, 0,02A absorption, siren activation positive to loose command, control signaling system ON/OFF negative to give command, manage up to 4 sirens, output for tamper signaling / fault, output O/C fault, central programming available, modulation / activation status signaling optical system / activation status signaling acoustic system / daily cycles / flashing type, opening electromechanical tamper, protection level IP 42.	10
CE	KIT/VENUS WL 1?	€ 491,00	KIT Completed by N°01 VENUS WL Wireless siren bidirectional and supervised N°01 MGS WL Transceiver for wireless siren series MOON and VENUS WL	10
CE	KIT/VENUS WL/AS 1?	€ 504,00	Same features as KIT/VENUS WL, with electromechanical foam protection system.	10
CE	External cover painted color	Request	External cover series VENUS J-S-V-WL grey (2x)	10

NOVA Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
	NOVA J 1?	€ 198,40	Self-powered outdoor siren, µP, 13.8Vdc. Flashing LED light diffusers, polycarbonate cap fumè colour (?=1), orange colour (?=2), white colour (?=3). System status indication LED. Metal structure. Electro galvanized steel sheet internal and external cover. White colour. Opening and removal tamper button. Degree of protection IP 34.	14
	NOVA J X1	€ 225,50	Same features as NOVA J, external cover inox painted.	14
	NOVA J/AS ?1	€ 211,20	Same features as NOVA J, with electromechanical foam protection system, external cover metal painted.	14
	NOVA J/AS X1	€ 239,80	Same features as NOVA J, with electromechanical foam protection system, external cover inox painted.	14
CE	NOVA CIVETTA 1?	€ 77,60	Same features as NOVA 11, colour fumè (?=1), colour orange (?=2), colour white (?=3) fake.	---
CE	External cover painted color	Request	External cover series NOVA J	15
STAR Series				
CE	STAR LUX LI	€ 151,30	Selfpowered siren, µP, 13.8Vdc, Tungsten filament lamp, Orange polycarbonate lens, ABS structure, Galvanized steel internal cover, metal painted external cover, Anti-opening anti-removal tamper, Input protection IP 34.	18
CE	STAR WHT LI	€ 139,60	Same features as STAR LUX LI, external cover white painted.	18
CE	STAR LUX LI/AS	€ 159,60	Same features as STAR LUX LI, with electromechanical foam protection system.	18
CE	STAR WHT LI/AS	€ 152,60	Same features as STAR WHT LI, with electromechanical foam protection system.	18
CE	STAR LUX CIVETTA	€ 58,40	Same features as STAR LUX, fake.	---
CE	STAR WHT CIVETTA	€ 48,50	Same features as STAR WHT, fake.	---
EKO Series				
CE	EKO L	€ 151,00	Selfpowered siren, µP, 13.8Vdc, Led lamp, Orange PMMA lens, Galvanized steel structure and double cover, White colour RAL 9010 external cover, Anti-opening anti-removal tamper, Input protection IP 34.	---
CE	EKO L/AS	€ 167,60	Same features as EKO L, with electromechanical foam protection system.	---
CE	EKO L/X	€ 180,00	Selfpowered siren, µP, 13.8Vdc, Led lamp, Orange PMMA lens, Galvanized steel structure and internal cover, Stainless steel external cover, Anti-opening anti-removal tamper, Input protection IP 34.	---
CE	EKO L/X/AS	€ 192,20	Same features as EKO L/X, with electromechanical foam protection system.	---
CE	EKO L CIVETTA	€ 72,20	Same features as EKO, fake.	---
CE	EKO LX CIVETTA	€ 98,00	Same features as EKO X, fake.	---

GN L Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	GN L <i>new</i>	€ 252,00	Self-powered siren, µP, 13.8Vdc, LED flashing light, Orange PMMA cap, Electro-galvanised sheet metal structure and double cover, RAL 9010 white colour, Tear-proof anti-opening tamper, IP 34 protection level.	---
CE	GN LX <i>new</i>	€ 268,60	Same features as GN L, stainless steel external cover.	---
CE	GN LS <i>new</i>	€ 262,80	Same features as GN L, with electromechanical foam protection system.	---
CE	GN LS X <i>new</i>	€ 278,80	Same features as GN L, with electromechanical foam protection system and stainless steel external cover	---
INDOOR SIREN				
ERIS, IGEA, AX Series				
CE	ERIS	€ 32,40	Power 13.8Vdc. ABS box. White RAL 9010 colour. Opening Tamper. Degree of protection IP 43.	22
CE	ERIS L	€ 54,00	Same features as ERIS, Flashing light diffusion with high brightness orange LED, flashing programming. sound Programming. Possibility mounting in 503 box.	22
CE	ERIS L/A	€ 75,00	Same features as ERIS L, Self-powered. battery pack 9,6V Ni-Cd included.	22
CE	IGEA P	€ 117,20	Self-powered siren, 13.8Vdc, Galvanized steel box, White colour RAL 9010, Anti-opening tamper, Battery pack not included, Input protection IP 34.	26
CE	IGEA N	€ 139,20	Same features as IGEA P, battery pack 9,6V Ni-Cd included.	26
CE	AX98	€ 28,00	Piezo siren, Power supply 13.8Vdc, ABS structure, Ivory colour, Input protection IP 30, Embedded into 503 box.	24
CE	AX105	€ 28,00	Piezo siren, Power supply 13.8Vdc, ABS structure, Ivory colour, Input protection IP 30.	24
CE	AX112	€ 16,00	Acoustic siren, power supply 13.8Vdc, ABS structure, black colour, Input protection IP 30.	24

FIRE SIGNALLING				
CPR CERTIFIED DEVICES				
BRAND	CODE	PRICE	DESCRIPTION	Cat
	DOA P	€ 177,20	Visual device of type "W" and sound signaling FIRE ALARM CPR certified according to standards EN54-3 and EN54-23. Power from 24 to 28Vdc. High brightness flash LED. Piezo. Polycarbonate box, transparent polycarbonate front. White color. One label included. CPR nr. 2852-CPR-0114	30
	DOA P/WP	€ 214,70	Same features as DOA P. Input protection IP54. CPR nr. 2852-CPR-0115.	30
	DOA K	€ 174,20	Visual device of type "W" and sound signaling FIRE ALARM CPR certified according to standards EN54-3 and EN54-23. Power from 24 to 28Vdc. High brightness flash LED. Piezo. Polycarbonate box, transparent polycarbonate front. White color. One label included. CPR nr. 2852-CPR-0111.	30
	DOA K/WP	€ 211,40	Same features as DOA K. Input protection IP54. CPR nr. 2852-CPR-0112.	30
	AVD FJ/CPD	€ 112,00	Optical acoustic fire panel signaling, Power supply 10÷28Vdc, Piezo, High light luminosity led, Self-extinguishing ABS box, Clear polycarbonate front, White colour RAL 9010, Label included, Input protection IP 40. CPR nr. 2852-CPR-0109.	28
	DOA FJ/CPD	€ 120,80	Optical acoustic fire panel signaling, Power supply 10÷28Vdc, Piezo, High light luminosity led, Polycarbonate box, White colour RAL 9010, Label included, Input protection IP 43. CPR nr. 2852-CPR-0110.	28
	STAR F24/CPD	€ 205,20	Selfpowered programmable siren, µP, 24VDC, Recharge battery 12Vdc, Led lamp, Red PMMA lens, ABS structure, Galvanized steel internal cover, Red colour RAL 3000, Input protection IP 34. CPR nr. 2852-CPR-0113.	28
Outdoor siren				
CE	STAR F24	€ 177,00	Selfpowered programmable siren, µP, 24Vdc, Recharge battery 12V, Led lamp, Red PMMA lens, ABS structure, Galvanized steel internal cover, Red colour RAL 3000, Input protection IP 34.	32
CE	MOON F24 	€ 180,00	Selfpowered programmable siren, µP, 24Vdc, Recharge battery 12V, Led lamp, Red PMMA lens, ABS structure, Galvanized steel internal cover, Red colour RAL 3000, Input protection IP 34.	34
CE	VENUS F24 	€ 183,00	Selfpowered programmable siren, µP, 24Vdc, Recharge battery 12V, Led lamp, Red PMMA lens, ABS structure, Galvanized steel internal cover, Red colour RAL 3000, Input protection IP 34.	36

INDOOR SIREN				
ERIS, AX, AV Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	ERIS F12	€ 32,40	Piezo siren, Power supply 13.8Vdc, ABS structure, Red colour RAL 3000, Input protection IP 43, Possibility to mount on 503 box.	38
CE	ERIS F24	€ 33,30	Same features as ERIS F12, 24Vdc.	38
CE	ERIS FL24	€ 55,20	Piezo siren, Power supply 24Vdc, ABS structure, High red light luminosity led diffusion write "FIRE", Flash and sound programmable, Red colour RAL 3000, Input protection IP 43, Possibility to mount on 503 box.	38
REMOTE INDICATORS				
DUNE Series				
CE	DUNE JR	€ 19,50	Remote indicator, Voltage supply selection 5Vdc, 13.8Vdc, 24Vdc, Lighting high luminosity led, Red polycarbonate lens, Input protection IP 42	40
CE	DUNE JG	€ 19,50	Same features as DUNE JR, fume polycarbonate lens.	40
CE	DUNE JW	€ 19,50	Same features as DUNE JR, white polycarbonate lens.	40
KARI Series				
CE	KARI HR 	€ 19,30	Remote indicator for ceiling or floor fixing, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour polycarbonate structure, Light diffuse lens, disk with UNIQUE red fire symbol, Input protection IP 42.	---
CE	KARI H BA 	€ 19,30	Same features as KARI H, power supply 3Vdc, low absorption.	---
CE	KARI M	€ 19,30	Remote indicator for ceiling or floor fixing, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour polycarbonate structure, Light diffuse lens, Writing "FIRE" colour black, Input protection IP 42.	42
CE	KARI MR	€ 19,30	Same features as KARI M, colour red.	42
CE	KARI M BA	€ 19,30	Same features as KARI M, power supply 3Vdc, low absorption.	42
CE	KARI MR BA	€ 19,30	Same features as KARI MR, power supply 3Vdc, low absorption.	42
CE	KARI N	€ 18,60	Remote indicator for ceiling or floor fixing, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour polycarbonate structure, Light diffuse lens, Input protection IP 42.	42
CE	KARI N BA	€ 18,60	Same features as KARI N, power supply 3Vdc, low absorption.	42
CE	RING T	€ 1,90	TRAPEZOID polycarbonate spacer for light signal expansion for KARI ceiling application	---
CE	RING R	€ 1,90	RING polycarbonate spacer for light signal expansion for KARI ceiling application	---

APOLLO Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	APOLLO	€ 14,90	Mini remote indicator for ceiling or SD503, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour ABS structure, Light diffuse lens	44
CE	APOLLO N	€ 14,90	Mini remote indicator for ceiling or SD503, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour ABS structure, Light diffuse lens	44
PANELS SIGNALLING				
AVD Series				
CE	AVD FJ	€ 99,60	Optical acoustic fire panel signaling, Power supply 10÷28Vdc, Piezo, High light luminosity led, Self-extinguishing ABS box, Clear polycarbonate front, White colour RAL 9010, Label included, Input protection IP 40.	46
CE	AVD FJ/A	€ 128,40	Same features as AVD FJ, self-powered, battery pack 9,6V Ni-Cd included.	46
CE	AVD FJ/A/230	€ 189,40	Same features as AVD FJ, self-powered, battery pack 9,6V Ni-Cd included, power pack included.	46
CE	AVD FJ/BF	€ 130,60	Same features as AVD FJ, double face, labels included, <u>Stirrup excluded</u> .	46
CE	AVD FJ/BF/A	€ 163,40	Same features as AVD FJ/BF, self-powered, battery pack 9,6V Ni-Cd included.	46
CE	AVD CIVETTA	€ 32,20	Same features as AVD, fake.	---
DOA Series				
CE	DOA FJ	€ 103,20	Optical acoustic fire panel signaling, Power supply 10÷28Vdc, Piezo, High light luminosity led, Polycarbonate box, White colour RAL 9010, Label included, Input protection IP 43.	48
CE	DOA FJ/A	€ 132,80	Same features as DOA FJ, self-powered, battery pack 9,6V Ni-Cd included.	48
CE	DOA FJ/WP	€ 127,20	Same features as DOA FJ, <u>Input protection IP 54</u> .	48
CE	DOA FJ/A/WP	€ 156,60	Same features as DOA FJ/WP, self-powered, battery pack 9,6V Ni-Cd included.	48
CE	DOA CIVETTA	€ 42,70	Same features as DOA, fake.	---
FAP Series				
CE	FAP FJ	€ 203,60	Flush optical acoustic fire panel signaling, Power supply 10÷28Vdc, Piezo, High light luminosity led, Polycarbonate box, plexiglass front silkscreened "ALLARME INCENDIO", Closure kit, Polycarbonate white frame, Flush box included.	50
CE	FAP FJ/A	€ 222,30	Same features as FAP FJ, self-powered, battery pack 9,6V Ni-Cd included.	50

EVACUATION SIGNALING				
EV-COM SYSTEM				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	EV TRD MB	€ 590,00	Metallic box completed of electronic centralization card, power supply 13.8Vdc, Programmable, polling , 2 serial bus RS485, 1 RS232, Output general O/C, output relè programmable, output relè evacuation alarm, input general for alert, evacuation, reset, predisposition for battery 1,3A	52
CE	EV VIS/D MB	€ 332,00	Metallic box completed with display device events for evacuation systems, power supply 13.8Vdc, display 7 unit for display number unit, scrolling events automatic/buttons, link on bus RS485, predisposition for battery 1,3A	52
CE	EV VIS/D M	€ 392,00	Same features as EV VIS/D MB, power pack AL500 included, power supply 230V~.	52
CE	EVP/A	€ 249,40	Selfpowered optical acoustic unit 13.8Vdc, Input alert, evacuation and reset, High light luminosity led, Self-extinguishing ABS box, Clear polycarbonate front, Polling only for serial version EV COM, Battery pack 9,6V Ni-Cd included, White colour RAL 9010, Label included, Input protection IP 40.	52
CE	EVP/A/BF	€ 286,60	Same features as EVP/A, double face. <u>Stirrup excluded</u>	52
CE	EVP/A/230	€ 315,20	Same features as EVP/A, 230V~, Battery pack 9,6V Ni-Cd included	52
CE	EVM	€ 286,60	Optical acoustic unit power supply 13.8Vdc, Input alert, evacuation and reset, High light luminosity led, Red PMMA lens, Galvanized steel structure, Polling only for serial version EV COM, Red colour RAL 3000, Input protection IP 31.	52
CE	EVM/P	€ 358,20	Same features as EVM, Trumpet high power IP65 outdoor wall mounting bracket, Input protection IP 41.	52
CE	EVM/WP	€ 308,80	Same features as EVM, IP protection kit, vinyl resin electronic protection, Input protection IP 43.	52
CE	EVM/WP/P	€ 388,00	Same features as EVM/WP, Trumpet high power IP65 outdoor wall mounting bracket	52
CE	EVM/WP/X	€ 403,00	Same features as EVM/WP, Painted steel AISI 304BA box.	52
CE	EVM/WP/XP	€ 490,60	Same features as EVM/WP/X, Trumpet high power IP65 outdoor wall mounting bracket, External environmental conditions of salt spray	52
CE	DOA EVP/A	€ 257,50	Selfpowered optical acoustic panel 13.8Vdc, Input alert, evacuation and reset, High light luminosity led, Polycarbonate box, Polling only for serial version EV COM, Battery pack 9,6 Ni-Cd included, White colour RAL 9010, Label included, Input protection IP 43.	52
CE	DOA EVP/A/P/WP	€ 425,80	Selfpowered optical acoustic panel 13.8Vdc, Input alert, evacuation and reset, High light luminosity led, Polycarbonate box, IP protection kit, vinyl resin electronic protection, Trumpet high power IP65 outdoor wall mounting bracket, Polling only for serial version EV COM, Battery pack 9,6 Ni-Cd included, White colour RAL 9010, Label included, External environmental conditions of salt spray, <u>Input protection IP 54.</u>	52

EV-COM SYSTEM				
Accessories				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	EV PAR2	€ 209,60	Activation point for evacuation systems. Push Button YELLOW (alert) and RED (evacuation) Reset-exclusion keys. Galvanized steel box. Red colour.	52
CE	EV PR2	€ 152,40	Activation point for evacuation systems. Push Button YELLOW (alert) Reset-exclusion keys. Galvanized steel box. Red colour.	52
CE	EV AR2	€ 152,40	Activation point for evacuation systems. Push Button RED (evacuation) Reset-exclusion keys. Galvanized steel box. Red colour.	52
CE	CAV CONF SER	€ 31,00	Serial cable connection PC/TRD for device configuration.	52
CE	PUL PS R	€ 36,50	Manual push button fire signal alarm wall RED with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PS G	€ 36,50	Manual push button reset signal wall YELLOW with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PS B	€ 37,00	Manual push button reset signal wall WHITE with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PS BL	€ 37,00	Manual push button reset signal wall BLUE with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PS V	€ 39,50	Manual push button reset signal wall GREEN with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PM20	€ 36,50	Manual push button reset signal wall RED, certificated EN54-11, with contact N.C. and N.A. identify activation, IPX0.	52
CE	PUL PB R	€ 36,50	Manual push button fire signal alarm wall RED with contact N.C. and N.A. identify activation, IP44.	---
CE	PUL PB G	€ 36,50	Manual push button reset signal wall YELLOW with contact N.C. and N.A. identify activation, IP44.	---
CE	LT	€ 3,20	Key test for buttons PUL PS series.	52
CE	LR	€ 3,20	Key reset for buttons PUL PS series.	55
CE	PR	€ 5,00	Sealing kit for buttons PUL PS series.	55
CE	TB	€ 6,80	Cover for buttons PUL PS series.	---
CE	ME R	€ 8,20	Base for buttons PUL PM series.	---
CE	PUL PS CALL	€ 40,00	Manual push button contact N.O. and N.C. 1A @ 250V 86x86x20mm	---

STAND-ALONE UNIT EVACUATION WITH VOCAL

AVD Series

BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	AVD DEV/A/230	€ 453,40	Vocal optical panel, 3 programmable message, Power supply 13.8÷24Vdc, Sound input, output fault, High light luminosity led, Self-extinguishing ABS box, Clear polycarbonate front, White colour RAL 9010, Label included, Battery pack 9,6V included, Input protection IP 40.	60

DOA Series

CE	DOA DEV	€ 380,00	Vocal optical panel, 3 programmable message, Power supply 13.8÷24VDC, Sound input, output fault, High light luminosity led, Polycarbonate box, White colour RAL 9010, Label included, Input protection IP 40.	60
CE	DOA DEV/A	€ 400,00	Same features as DOA DEV, Selfpowered, Battery pack 9,6V included	60
CE	DOA DEV WP/P	€ 468,20	Same features as DOA DEV,	60
CE	DOA DEV A/WP/P	€ 489,80	Same features as DOA DEV,	60

MOON Series


CE	MOON DEV	€ 432,70	Vocal optical panel, 3 programmable message, Power supply 13.8÷24VDC, Sound input, output fault, High light luminosity led, Polycarbonate box, White colour RAL 9010, Label included, Input protection IP 40.	58
CE	MOON DEV/230	€ 490,60	Same features as MOON DEV, Selfpowered, Battery pack EXCLUDED	58

VENUS Series


CE	VENUS DEV	€ 435,00	Vocal optical panel, 3 programmable message, Power supply 13.8÷24VDC, Sound input, output fault, High light luminosity led, Polycarbonate box, White colour RAL 9010, Label included, Input protection IP 40.	58
CE	VENUS DEV/230	€ 492,60	Same features as VENUS DEV, Power supply 230÷13.8VDC, Battery pack EXCLUDED	58

SECURITY EXIT DOOR PROTECTION STAND-ALONE

AVD US Series

BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	AVD US 	€ 194,00	Optical acoustic unit, Selfpowered, Power supply 13.8Vdc, High light luminosity white led, Programmable, ABS box, Polycarbonate cover, White colour RAL 9010, Label included, keylock included on board, Input protection IP 41	---
CE	AVD US A	€ 210,80	Same features as AVD US, Battery pack 9,6V included.	---
CE	AVD US A/230	€ 282,40	Same features as AVD US A, 230Vac, Battery pack 9,6V and power supply included.	---

DOA US Series

CE	DOA US 	€ 202,00	Optical acoustic unit, Selfpowered, Power supply 13.8Vdc, High light luminosity white led, Programmable, ABS box, Polycarbonate cover, White colour RAL 9010, Label included, keylock included on board, Input protection IP 41	---
CE	DOA US A	€ 221,00	Same features as DOA US, Battery pack 9,6V included.	---
CE	DOA US A/WP	€ 238,80	Same features as DOA US A, Input protection IP 54.	---

MOON US Series

CE	MOON US 13	€ 241,00	Optical acoustic unit, Power supply 13.8Vdc, High light luminosity green led, Programmable, Siren serie MOON, White colour RAL 9010, polycarbonate lens white colour, predisposition for battery 12V 2,2Ah (not included), Input protection IP 43.	64
CE	MOON US 13-230	€ 300,20	Same features as MOON US, 230Vac, power supply included.	64

VENUS US Series



CE	VENUS US 13	€ 244,00	Optical acoustic unit, Power supply 13.8Vdc, High light luminosity green led, Programmable, Siren serie VENUS, White colour RAL 9010, polycarbonate lens white colour, predisposition for battery 12V 2,2Ah (not included), Input protection IP 43.	64
CE	VENUS US 13-230	€ 303,40	Same features as VENUS US, 230Vac, power supply included.	64

KIT US Series



CE	KIT MOON US 13-230	€ 514,60	Optical acoustic unit, Power supply 13.8Vdc, cabled receiver and N° 2 command, High light luminosity green led, Programmable, Siren serie MOON, White colour RAL 9010, polycarbonate lens white colour, predisposition for battery 12V 2,2Ah (not included), Input protection IP 43.	---
CE	KIT VENUS US 13-230	€ 516,80	Optical acoustic unit, Power supply 13.8Vdc, cabled receiver and N° 2 command, High light luminosity green led, Programmable, Siren serie VENUS, White colour RAL 9010, polycarbonate lens white colour, predisposition for battery 12V 2,2Ah (not included), Input protection IP 43.	---

Accessories

CE	CH PS V	€ 66,00	Remote ON – OFF/RESET Accessory for US door control unit, Tamper line against opening, colour GREEN	80
----	---------	---------	---	----

SPECIAL PRODUCTS				
MINI CONTROL				
MOON C Siren				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	MOON C 11	€ 299,80	Mini control panel/siren unit for small areas protection, Power supply 13.8Vdc, Programmable function, Galvanized steel box and internal cover, Metal painted external cover, Power pack excluded, Input protection IP 34.	68
CE	MOON C AS 11	€ 305,00	Same features as MOON C, Antifoam device	68
CE	KIT MOON C 11	€ 467,00	Mini control panel/siren unit for small areas protection, Power supply 13.8Vdc, Programmable function, Galvanized steel box and internal cover, Metal painted external cover, Power pack excluded, Input protection IP 34.	68
CE	KIT MOON C/AS 11	€ 473,20	Same features as KIT MOON C, Antifoam device	68
VENUS C Siren				
CE	VENUS C 11	€ 302,00	Mini control panel/siren unit for small areas protection, Power supply 13.8Vdc, Programmable function, Galvanized steel box and internal cover, Metal painted external cover, Power pack excluded, Input protection IP 34.	68
CE	VENUS C AS 11	€ 307,00	Same features as VENUS C, Antifoam device	68
CE	KIT VENUS C 11	€ 469,00	Mini control panel/siren unit for small areas protection, Power supply 13.8Vdc, Programmable function, Galvanized steel box and internal cover, Metal painted external cover, Power pack excluded, Input protection IP 34.	68
CE	KIT VENUS C AS 11	€ 475,00	Same features as KIT VENUS C, Antifoam device	68
SMOKE ALARM				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	FOBOS W	€ 542,00	Smoke generator, 12Vdc power supply, maximum consumption 200 mA, opening tamper, programming via Wi-Fi network, motion sensor, double piezo siren (excludable), anti-aggression control, discharge count-down block, cartridge supervision, saturable volume up to 100m3 , dimensions 120 x 92 x 1680 (W x H x D), weight 800g (including capsule), WHITE color	---
CE	FOBOS B	€ 542,00	Same features as FOBOS W, BLACK colour	---
CE	KIT FOBOS W 	€ 809,00	BOX protection kit consisting of the smoke generator/central unit, N° 02 radio controls, N° 01 wireless magnetic contact. Possibility of connecting N° 01 wired contact. Power supply 12Vdc, maximum consumption 200 mA, opening tamper, programming and configuration via Wi-Fi network, motion sensor, double piezo siren (excludable), anti-aggression command, count-down discharge block, Output activation of delivery on programmable contact. Saturable volume up to 100m³, dimensions 12 x 92 x 17cm (B x H x D), weight 800g (including capsule), WHITE color.	---
CE	KIT FOBOS B 	€ 809,00	Same features as KIT FOBOS W, BLACK colour	---
Wi-Fi INTERFACE				
CE	TIDOMO IOT	€ 344,00	Universal WiFi interface device for home automation management 3 inputs 4 outputs. Free APP	---



UNIVERSAL OPTICAL INDICATORS

CE	SUN C 	€ 33,00	Optical status repeater. Power supply 12Vdc, low consumption. Possibility of activation with fixed or flashing light. N° 04 high brightness LEDs. RED LED color. Cover with POLYCARBONATE dome, ABS base, IP54 protection rating. Dimensions 57.5 x 76.5 x 25mm	---
CE	SUN P 	€ 33,00	Optical status repeater. Power supply 12Vdc, low consumption. Possibility of activation with fixed or flashing light. N° 04 high brightness LEDs. RED LED color. Cover with POLYCARBONATE, ABS base, IP54 protection rating. Dimensions 57.5 x 76.5 x 25mm	---
CE	DUNE SW	€ 19,20	Lighting signaling, Voltage supply selection 5 Vdc, 13.8Vdc, 24 Vdc, Low absorption, Lighting high luminosity white led. White dull lens, White polycarbonate base. Input protection IP 42	72
CE	DUNE SR	€ 19,20	Same features as DUNE SW, Lighting high luminosity red led.	72
CE	DUNE SG	€ 19,20	Same features as DUNE SW, Lighting high luminosity ochre led.	72
CE	DUNE SV	€ 19,20	Same features as DUNE SW, Lighting high luminosity green led.	72
CE	DUNE SB	€ 19,20	Same features as DUNE SW, Lighting high luminosity blue led.	72

OPTICAL PANELS FOR SMOKING ROOMS

CE	AVD NS	€ 77,00	Optical acoustic panel, power supply 13.8Vdc / 24Vdc, LED lighting, ABS structure, one red label included (VIETATO FUMARE PER GUASTO ALL'IMPIANTO DI VENTILAZIONE), white colour	70
CE	AVD NS/A/230	€ 168,80	Same features as AVD NS, power supply 230Vac, self-powered, battery pack 9,6V Ni-Cd included.	70
CE	AVD YS	€ 77,00	Optical acoustic panel, power supply 13.8Vdc / 24Vdc, LED lighting, ABS structure, one green label included (SALA PER FUMATORI), white colour	70
CE	AVD YS/A/230	€ 168,80	Same features as AVD YS, power supply 230Vac, self-powered, battery pack 9,6V Ni-Cd included.	70

UNIVERSAL OPTICAL INDICATORS BICOLOR

CE	DUNE RV	€ 21,80	DOUBLE COLOURS lighting signaling, Voltage supply selection 5Vdc, 13.8Vdc, 24 Vdc, Low absorption, Lighting high luminosity RED-GREEN led. Opaque white lens, White polycarbonate base. Input protection IP 42	74
CE	KARI RV	€ 23,20	DOUBLE COLOURS lighting signaling, Voltage supply selection 5Vdc, 13.8Vdc, 24 Vdc, Low absorption, Lighting high luminosity RED-GREEN led. Opaque white lens, White polycarbonate base. Input protection IP 42	74
CE	APOLLO RV	€ 16,00	Mini remote indicator for ceiling or SD503, Voltage supply selection 3Vdc, 24Vdc, Lighting high luminosity led, White colour ABS structure, Light diffuse lens	74
CE	SUN RV C 	€ 50,00	Bi-color optical status repeater. Power supply from 12 to 28Vdc, low consumption. Possibility of activation with fixed or flashing light, possibility of alternating RED and GREEN flashing. No. 05 high brightness LEDs. Bi-color LEDs. Cover with POLYCARBONATE dome, ABS base, IP54 protection rating. Dimensions 57.5 x 76.5 x 25mm	---
CE	SUN RV P 	€ 50,00	Bi-color optical status repeater. Power supply from 12 to 28Vdc, low consumption. Possibility of activation with fixed or flashing light, possibility of alternating RED and GREEN flashing. No. 05 high brightness LEDs. Bi-color LEDs. Cover with POLYCARBONATE, ABS base, IP54 protection rating. Dimensions 57.5 x 76.5 x 25mm	---

ELECTROMAGNETIC HOLDER (FIRE)












BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	S2.0050_01W	€ 73,50	Electromagnetic fire doors holder 50Kg 24Vdc with 8mm release button with protection diodes (S20050), complete with anchor (S01060) complete with fixing screws. White color. UNI EN 1155 certificate.	---
CE	S2.0110_01W	€ 105,00	Electromagnetic fire doors holder 100Kg 24Vdc with 8mm release button with protection diodes (S10110), complete with articulated anchor (S01110). White color. UNI EN 1155 certificate.	---
CE	S2.0050_01B	€ 73,50	Electromagnetic fire doors holder 50Kg 24Vdc with 8mm release button with protection diodes (S20050), complete with anchor (S01060) complete with fixing screws. Black colour. UNI EN 1155 certificate.	---
CE	S3.0060_01	€ 139,00	Electromagnetic fire doors holder 50Kg 24Vdc 150mm adjustable with release button 8mm (S30060), complete with articulated anchor (S01060). Possibility to extend it 95mm by adding the accessory 30050_061. UNI EN 1155 certificate.	---
CE	S3.0110_01	€ 167,00	Electromagnetic fire doors holder 110Kg 24Vdc 150mm adjustable with release button 8mm (S30060), complete with articulated anchor (S01110). Possibility to extend it 95mm by adding the accessory 30050_061. UNI EN 1155 certificate.	---
CE	S5.0160_02	€ 303,00	Electromagnetic fire doors holder 150Kg 24Vdc with protection diodes and IP67 protected connector (S50160), complete with fixed anchor (S02160). UNI EN 1155 certificate.	---

ELECTROMAGNETIC LOCK (SAFETY)

CE	EDT150_001N	€ 219,00	Safety electromagnetic lock, Power supply 12-24Vdc Absorption 380/215mA, with backplate, Led signalling and relè output state door, Dimensions Magnet H40xL210xP21mm, Dimensions backplate H33xL130xP11mm, force 150Kg (1470N) Withholding force	---
CE	EDT300_001N	€ 282,40	Safety electromagnetic lock, Power supply 12-24Vdc Absorption 530/290mA, with backplate, Led signalling and relè output state door, Dimensions Magnet H48xL250xPx24, Dimensions backplate H38xL180xP11mm, force 300Kg (2940N) Withholding force	---
CE	EDT500_001N	€ 400,00	Safety electromagnetic lock, Power supply 12-24Vdc Absorption 530/290mA, with backplate, Led signalling and relè output state door, 0-25" adjustable door opening timing. Dimensions Magnet H48xL250xP24mm, Dimensions backplate H38xL180xP11mm, force 500Kg Withholding force	---

RELE' INTERFACES


CE	SE/IR1S	€ 12,20	Relè Interface 13.8Vdc, 1 switch.	81
CE	SE/IR1S-A	€ 16,30	Relè Interface 13.8Vdc, amplified 1 switch.	81
CE	3IR1S	€ 41,80	Kit Relè Interface to transform 3 O/C output in 3 relè NC/NO output.	81
CE	3IR1S-A	€ 51,00	Kit Relè Interface to transform 3 O/C output in 3 relè NC/NO output. amplified 1 switch.	81

ACCESORIES				
UNIVERSAL POWER SUPPLY				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	ALTC1215	€ 26,00	Power supply, output 230Vac/13.8Vdc, 1.5A, with TC connection jack	---
CE	ALTC1220	€ 31,20	Power supply, output 230Vac/13.8Vdc, 1.5A, with TC connection jack	---
CE	RS25-15 NEW	€ 46,50	Power supply, output 230Vac/13.8Vdc, 1.5A, with TC connection jack	---
CE	AL12AA NEW	€ 92,00	Mini UPS. Specific backup power for low-consumption network devices, such as ADSL modems, routers, VOIP telephone systems, remote security webcams, alarm systems, etc. The 230Vac input cable allows for easy connection. 12Vdc output on DC2.1 type Jack. Complete with 1.2A rechargeable lithium-ion batteries. Dimensions 86 x 114 x 30mm. Weight 320g	---
EN 54-4 + EN 12101-10 CPR POWER SUPPLY				
CE 	ZSP100 1.5-07	€ 423,00	Additional switching power supply for fire detection sistem certified EN54-4 ed EN12101-10, Output voltage 27,6Vdc, maximim output current 1,5A, housing for 7 A/h battery. Metal cabinet L 340 x H 250 x P 80mm.	---
CE 	ZSP100 2.5-18	€ 453,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 2,5A, housing for 18 A/h battery. Metal cabinet L 395 x H 356 x P 96mm.	---
CE 	ZSP100 5.5-18	€ 505,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 5,5A, housing for 18 A/h battery. Metal cabinet L 395 x H 356 x P 96mm.	---
CE 	ZSP100 5.5-40	€ 524,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 5,5A, housing for 40 A/h battery. Metal cabinet L 455 x H 356 x P 186mm.	---
CE 	ZSP100 10-40	€ 725,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 10,0A, housing for 40 A/h battery. Metal cabinet L 455 x H 356 x P 186mm.	---
CE 	ZSP100 12-40	€ 772,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 12,0A, housing for 40 A/h battery. Metal cabinet L 455 x H 356 x P 186mm.	---
CE 	ZSP100 12-75	€ 837,00	Additional switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 12,0A, housing for 75 A/h battery. Metal cabinet L 455 x H 356 x P 186mm.	---
CE 	ZSP135DR 3A 2	€ 612,00	Additional toroidal switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 3A, housing for 28 A/h battery. Metal cabinet L 390 x H 350 x P 140mm.	---
CE 	ZSP135DR 5A 2	€ 684,00	Additional toroidal switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 5A, housing for 28 A/h battery. Metal cabinet L 390 x H 350 x P 140mm	---
CE 	ZSP135DR 5A 3	€ 702,00	Additional toroidal switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 5A, housing for 40 A/h battery. Metal cabinet L 450 x H 350 x P 180mm	---
CE 	ZSP135DR 7A 3	€ 747,00	Additional toroidal switching power supply for fire detection sistem certified EN54-5 + EN 12101-10. Output voltage 27,6Vdc, maximim output current 7A, housing for 40 A/h battery. Metal cabinet L 450 x H 350 x P 180mm	---

DOUBLE TECHNOLOGY CURTAIN DETECTORS METIS SERIES METIS

BRAND	CODE	PRICE	DESCRIPTION	Cat
	METIS B	€ 128,80	Dual technology outdoor digital detector, curtain cover, max range 8m, sensitivity adjustment, management of magnetic reed contact input and shutter sensor input (N.C.), 12Vdc power supply, self-protected, IP55. WHITE colour	---
	METIS M	€ 128,80	Dual technology outdoor digital detector, curtain cover, max range 8m, sensitivity adjustment, management of magnetic reed contact input and shutter sensor input (N.C.), 12Vdc power supply, self-protected, IP55. BROWN colour	---
	METIS LENS B	€ 25,00	White cover complete with lens for wide angle side or ceiling mounting for METIS B detector. WHITE colour	---
	METIS LENS M	€ 25,00	Brown cover complete with lens for wide angle side or ceiling mounting for METIS M detector. BROWN colour	---

TVCC SECURITY CABINETS AND ACCESSORIES

-	BOXTVCCWH02	€ 588,00	Security cabinet for DVR and monitor, double key, fixing DVR with Velcro, complaint GDPR. Dimensions H650 L600 P200. white RAL7035 color PHASE OUT (END OF PRODUCTION)	---
-	BOXTVCCWH05	€ 402,00	Security cabinet for DVR and monitor, double key, fixing DVR with Velcro, complaint GDPR. Dimensions H550 L580 P150. white RAL7035 color	---
-	STF 1U 4P	€ 15,30	19" bracket for BOXTVCC02-03 mounting, white color	---
-	CP6U 4P	€ 94,60	6 way Shucko for BOXTVCC05 outlet strip with light switch	---
-	CP3U 4P	€ 76,80	3 way Shucko for BOXTVCC05 outlet strip with light switch	---
-	KIT WD2 4P	€ 68,90	Fan for indoor ventilation for BOX TVCC 02 cabinet. 230Vac power supply	---
-	PALTC350 	€ 428,00	External Pole Kit for CCTV, for Dome and Bullet cameras, height 3.5m. Pole composed of three modular sections, cage base for concrete anchoring, bracket for dome cameras, bracket for bullet cameras, lightning rod, element locking accessories. complete with packaging cardboard.	---

ELECTROMAGNETIC HOLDERS ACCESSORIES

S Series

CE	S0.1060B	€ 22,30	Keeper plate S01 color BLACK, Normally supplied for 50Kg holders.	---
CE	S0.1060W	€ 22,30	Keeper plate S01 WHITE color, Normally supplied for 50Kg holders.	---
CE	S0.2060	€ 21,80	Fixed plate S2 color BLACK, Supplied on request as an alternative to S0.1060 for 50Kg holders.	---
CE	S3.30050_061	€ 24,00	Extension tube 100mm for stationary series S3.0.	---
CE	S0.3000_X	€ 39,00	Painted L-bracket for fixing the S1, S2, S6 electromagnetic locking devices to the floor.	---
CE	S0.313_N000	€ 77,90	Extension tube 130mm for stationary series S1, S2, S6.	---
CE	S0.3150_N000	€ 96,20	Extension tube 150-220 mm for stationary series S1, S2, S6.	---

ELECTROMAGNETIC LOCK ACCESSORIES**EDT Series**

BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	STL1 N	€ 51,30	L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT150 series	---
CE	STL3 N	€ 56,30	L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT300 series	---
CE	STL5 N	€ 68,70	L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT500series	---
CE	STZL1N	€ 92,70	Z + L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT150 series	---
CE	STZL3N	€ 114,00	Z + L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT300 series	---
CE	STZL5N	€ 174,00	Z + L shaped bracket for fixing electromagnet to frame, internal side, push opening, for EDT500series	---
CE	STC3	€ 57,50	Case to fix the backplate on doors where it is not possible to make a through hole, for EDT300 series	---
CE	STC5	€ 84,00	Case to fix the backplate on doors where it is not possible to make a through hole, for EDT500 series	---
CE	STZLC3	€ 241,00	Z + L-bracket + cover for electromagnet frame fixing, internal side, push opening, for EDT300 series	---
CE	STU1	€ 74,50	U-shaped bracket for fixing counter-plate on glass doors, for EDT150 series	---
CE	STU3	€ 84,20	U-shaped bracket for fixing counter-plate on glass doors, for EDT300 series	---

SIGNS INDICATORS**CTS Series**

CE	CTS01	€ 13,00	Aluminium panel with "alarm button" sign compliance with EN ISO 7010, dimensions 160x160 mm.	78
CE	CTS02	€ 13,00	Aluminium panel with "acoustic alarm" sign compliance with EN ISO 7010, dimensions 160x160 mm.	78
CE	CTS03	€ 18,00	Aluminium panel with "alarm button" sign, with write "PULSANTE ALLARME INCENDIO" compliance with EN ISO 7010, dimensions 160x210 mm	78

SIGNS INDICATORS**CPS Series**

CE	CPS01	€ 19,70	Acrylic panel with "alarm button" sign compliance with EN ISO7010, dimensions 175x175x4mm	79
CE	CPS01 BF	€ 24,30	Double sides acrylic panel with "alarm button" sign compliance with EN ISO7010, dimensions 175x175x4mm	79
CE	CPS02	€ 19,70	Acrylic panel with message "ALLARME INCENDIO", dimensions 240x120x4mm	79
CE	CPS02 BF	€ 24,30	Double sides Acrylic panel with message "ALLARME INCENDIO", dimensions 240x120x4mm	79
CE	CPS03	€ 19,70	Acrylic panel with message "ALLARME INCENDIO" + "alarm button" sign compliance with EN ISO 7010, dimensions 240x120x4mm	79
CE	CPS03 BF	€ 24,30	Double sides Acrylic panel with message "ALLARME INCENDIO" + "alarm button" sign compliance with EN ISO 7010, dimensions 240x120x4mm	79
CE	CPS04	€ 34,50	Acrylic panel with message "ALLARME INCENDIO" with 105mm diameter hole, dimensions 340x130x4mm. Fixing kit included	79
CE	CPS04 BF	€ 41,50	Double sides Acrylic panel with message "ALLARME INCENDIO" with 105mm diameter hole, dimensions 340x130x4mm. Fixing kit included	79

CPS Series				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	CPS06	€ 35,50	Double sides Acrylic panel with message "ALLARME INCENDIO" with 112mm diameter hole, dimensions 356x144x4mm. Fixing kit included	79
CE	CPS06 BF	€ 42,50	Double sides doubleface Acrylic panel with message "ALLARME INCENDIO" with 112mm diameter hole, dimensions 356x144x4mm. Fixing kit included	79
CE	CPS07	€ 38,00	Double sides Acrylic panel with message "ALLARME INCENDIO" with 124mm diameter hole, dimensions 393x161x4mm. Fixing kit included	79
CE	CPS07 BF	€ 45,00	Double sides doubleface Acrylic panel with message "ALLARME INCENDIO" with 124mm diameter hole, dimensions 393x161x4mm. Fixing kit included	79
CE	CPS09	€ 13,40	Double sides Acrylic panel with message "ALLARME INCENDIO" with 124mm diameter hole, dimensions 393x161x4mm. Fixing kit included	79
CE	CPS10	€ 39,00	Double sides Acrylic panel with message "ALLARME INCENDIO" with hole, dimensions 410x160x4mm. Fixing kit included	---
CE	CPS10 BF	€ 46,00	Double sides doubleface Acrylic panel with message "ALLARME INCENDIO" with hole, dimensions 410x160x4mm. Fixing kit included	---
CE	CPS11	€ 36,80	Double sides Acrylic panel with message "ALLARME INCENDIO" with hole MAD565, dimensions 443x131x4mm. Fixing kit included	---
CE	CPS11 BF	€ 43,80	Double sides doubleface Acrylic panel with message "ALLARME INCENDIO" with hole MAD565, dimensions 443x131x4mm. Fixing kit included	---
CE	CPS13 NEW	€ 44,00	Warning sign with "FIRE ALARM" print, dedicated slot for CWS100 series sirens. Acrylic glass (PMMA), dimensions 390 x 160mm, thickness 4mm, complete with fixing kit	---
ACCESSORIES				
CE	FOBOS RIC NEW	€ 190,00	Spare capsule for FOBOS smoke generator, for saturable volume up to 100m³	---
CE	FOBOS CAP DEMO NEW	€ 74,00	DEMO "INERT" capsule (LED) for testing FOBOS and FOBOS BOX smoke generators.	---
CE	FOBOS RTX NEW	€ 88,00	Additional programmable On/Off radio control for FOBOS BOX units.	---
CE	FOBOS CMW NEW	€ 126,00	Additional programmable wireless magnetic contact for FOBOS BOX units.	---
CE	MIC VO 01	€ 14,40	Microphone plug with push button for message recording for MOON V and VENUS V series.	81
CE	MIC VO 02	€ 16,50	Microphone plug with push button for message recording for DEV series.	81
CE	BL/STAR	€ 2,00	Regulating for centralizing STAR series siren	80
CE	GPP01 NEW	€ 39,60	Protection grill for Manual fire PUL P push button series. Dimensions 130x130x70mm. wire 2,8mm diameter with steel material. Complete fixing kit	81
CE	GPA01 NEW	€ 49,30	Protection grill for acoustic visual devices DOA – AVD series. Dimensions 130x130x70mm. wire 2,8mm diameter with steel material. Complete fixing kit	81
CE	GPB01 NEW	€ 98,80	Protective grid for linear smoke-fire barriers, various models (check maximum dimensions of Barriers). Dimensions 300x250x160mm made with 3.8mm diameter steel wire. Complete with dowels - fixing screws	---

ACCESSORIES				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	KIT/WP D	€ 34,30	Kit for transforming DOA panel series from IP 43 up to IP 54, ring, piezo IP 66	---
CE	KIT/WP M	€ 44,50	Kit for transforming EVM evacuation siren for environment with degree of protection up to IP43.	---
CE	STF/P2	€ 46,00	Stirrup for AVD double face series for wall mounting or 503 box.	---
CE	STF/S1	€ 41,00	Stirrup for AVD double face series for ceiling mounting	80
	KIT CW CPS	€ 18,00	Wall/ceiling mounting kit for CPS01, CPS02, CPS03 series	---
	KIT W CPS04	€ 9,00	Wall mounting kit for CPS04 series	---
CE	RX1	€ 82,80	2 channel self – learning receiver for “C” mini control panel / siren series	---
CE	SWING C	€ 50,00	433MHz 2 channel radio control for “C” mini control panel / siren series	---
SPARE PARTS				
BRAND	CODE	PRICE	DESCRIPTION	Cat
CE	TAMPER STAR	€ 13,60	Tamper for sirens series STAR.	---
CE	TAMPER AVD DOA	€ 6,00	Tamper for panels series AVD, DOA.	---
	CH/AVD US	€ 12,50	Mechanical key, 2 copies key for AVD USJ, DOA USJ, EV PR, EV PAR, EKO US	---
	BATT 7,5V	€ 54,20	Manganese dioxide battery pack, 7,5Vdc, with molex connector, for STAR WL2 and MOON WL siren.	80
	BATT 9,6V	€ 28,30	Ni-Cd battery pack, 9.6V, with molex connector, for panel AVD, DOA	80
	E/EKO L	€ 66,00	Modulator for siren EKO L.	---
	E/EVP/A	€ 147,00	Electronic card for panel EVP/A.	---
	E/EVM	€ 166,00	Modulator for siren EVM.	---
	E/MOON J	€ 51,90	Electronic card for MOON J series siren.	---
	E/MOON WL	€ 184,50	Electronic card for MOON WL series siren.	---
	E/MOON S	€ 81,60	Electronic card for MOON S series siren.	---
	E/NOVA J	€ 89,70	Electronic card for NOVA series siren.	---
	E/STAR LI	€ 43,00	Electronic card for STAR LI series siren.	---
	E/STAR F24	€ 78,00	Modulator for siren STAR F24.	---
	E/STAR F24 CPD	€ 89,00	Modulator for siren STAR F24 CPD.	---
	SE/AVD FJ	€ 46,50	Electronic card for panel AVD FJ and DOA FJ.	---
	SE/AVD FJ CPD	€ 47,00	Electronic card for panel AVD FJ CPD.	---
	SE/DOA P	€ 83,20	Electronic card for panel DOA P.	---
	SE/AVD USJ L	€ 73,00	Electronic card for panel AVD USJ L and DOA USJ L.	---
	SE/DUNE	€ 9,30	Electronic card for serie DUNE.	---

SPARE PARTS				
BRAND	CODE	PRICE	DESCRIPTION	Cat
	SE/DOA P	€ 83,20	Electronic card for DOA P series	---
	SE/EV VIS/D	€ 147,00	Electronic card for EV VIS/D.	---
	E/VOCAL01	€ 188,00	Electronic card for MOON V	---
	E/DEV	€ 314,00	Electronic card for serie s DEV	---
	SE/P LED R	€ 7,60	Electronic red led card for panel AVD, DOA, connector included.	---
	SE/P LED V	€ 9,10	Electronic green led card for panel AVD, DOA, connector included.	---
	SE/P LED USP/R	€ 13,80	Electronic red led card for panel AVD, DOA, series US-COM, connector included.	---
	SE/P LED USP/W	€ 16,00	Electronic white led card for panel AVD, DOA, series US-COM, connector included.	---
	SE/TRD EV	€ 502,00	Electronic centralization card, Programmable, polling, power supply 13.8Vdc, 2 serial bus RS485, 1 RS232, Output general O/C, output relè programmable, output relè evacuation alarm, input general for alert, evacuation, reset	---
	SPK	€ 16,20	Speaker 4Ω.	---
	PZO/2	€ 11,40	Piezo + mylar cone with molex connector put on panel serie DOA.	---
	TR/AVDIF01	€ 26,00	Horn for siren EKO, EVM, NOVA .	---
	TR/AVDIF02	€ 26,00	Horn for siren STAR, MOON, VENUS	---
	TR/TK510	€ 132,20	IP65 horn for outdoor use, 4Ω impedance, black color, 1m multiple cable connection.	---

PERSONALIZATION		
LABEL FOR DOA K – P RED BACKGROUND		
CODE	PRICE	DESCRIPTION
PE/AV002 V	€ 9,00	Label with message “ VIETATO ENTRARE SPEGNIMENTO IN CORSO ”
PE/AV003 V	€ 9,00	Label with message “ EVACUARE IL LOCALE SPEGNIMENTO IN CORSO ”
PE/AV004 V	€ 9,00	Label with message “ALLARME GAS”
PE/AV005 V	€ 9,00	Label with message “ ALLARME INCENDIO ”
PE/AV006 V	€ 9,00	Label with message “ ALLARME EVACUAZIONE ”
PE/AV007 V	€ 9,00	Label with message “ FIRE ALARM ”
PE/AV008 V	€ 17,60	Label with message “ ALARMA ”
PE/AV021 V	€ 17,60	Label with message “ SPEGNIMENTO IN CORSO ”
PE/AV022 V	€ 9,00	Label with message “ EVACUARE IL LOCALE ”
PE/AV023 V	€ 9,00	Label with message “ INCENDIO – FIRE ”
PE/AV024 V	€ 9,00	Label with message “ EVACUAZIONE – GO OUT ”
PE/AV029 V	€ 17,60	Label with message “ VIETATO ENTRARE ”
PE/AV044 V	€ 17,60	Label with message “EXTINGUISHING SYSTEM ACTIVATED”
PE/AV046 V	€ 9,00	Label with message “FUEGO”
PE/AV047 V	€ 9,00	Label with message “EXTINCTION DISPARADA”
PE/AV048 V	€ 9,00	Label with message “ALARMA MONOXIDO DE CARBONIO”
LABEL FOR AVD – DOA RED BACKGROUND		
PE/AV001	€ 8,80	Label with message “ ALLARME ”
PE/AV002	€ 8,80	Label with message “ VIETATO ENTRARE SPEGNIMENTO IN CORSO ”
PE/AV003	€ 8,80	Label with message “ EVACUARE IL LOCALE SPEGNIMENTO IN CORSO ”
PE/AV004	€ 8,80	Label with message “ALLARME GAS”
PE/AV005	€ 8,80	Label with message “ ALLARME INCENDIO ”
PE/AV006	€ 8,80	Label with message “ ALLARME EVACUAZIONE ”
PE/AV007	€ 8,80	Label with message “ FIRE ALARM ”
PE/AV008	€ 17,30	Label with message “ ALARMA ”
PE/AV009	€ 17,30	Label with message “ EVACUATION IMMEDIATE ”
PE/AV010	€ 17,30	Label with message “ INCENDIO IN CORSO VIETATO ENTRARE ”
PE/AV011	€ 17,30	Label with message “ ENTREE INTERDITE ”
PE/AV013	€ 17,30	Label with message “ VIETATA L’USCITA ”
PE/AV015	€ 17,30	Label with message “EXTINGUISHANT SYSTEM ACTIVATED”
PE/AV019	€ 17,30	Label with message “ VIETATO FUMARE PER GUASTO ALL’IMPIANTO DI VENTILAZIONE ”
PE/AV021	€ 8,80	Label with message “ SPEGNIMENTO IN CORSO ”
PE/AV022	€ 8,80	Label with message “ EVACUARE IL LOCALE ”
PE/AV023	€ 8,80	Label with message “ INCENDIO – FIRE ”

LABEL FOR AVD – DOA RED BACKGROUND		
CODE	PRICE	DESCRIPTION
PE/AV024	€ 8,80	Label with message “ EVACUAZIONE – GO OUT ”
PE/AV025	€ 8,80	Label with message “ DO NOT ENTER ”
PE/AV026	€ 17,30	Label with message “ PRESENZA DI FUMO – NON USARE LA SCALA ”
PE/AV027	€ 17,30	Label with message “ ATMOSFERA PERIGOSA ”
PE/AV029	€ 17,30	Label with message “ VIETATO ENTRARE ”
PE/AV030	€ 17,30	Label with message “ PRE ALLARME INCENDIO ”
PE/AV044	€ 17,30	Label with message “EXTINGUISHING SYSTEM ACTIVATED”
PE/AV046	€ 8,80	Label with message “FUEGO”
PE/AV047	€ 8,80	Label with message “EXTINCTION DISPARADA”
PE/AV048	€ 8,80	Label with message “ALARMA MONOXIDO DE CARBONIO”
PE/AV049	€ 17,30	Label with message “EXCESO DE CO EN GARAJE”
PE/AV052	€ 17,30	Label with message “GAS DISPARADO”
LABEL FOR AVD – DOA GREEN BACKGROUND		
CODE	PRICE	DESCRIPTION
PE/AV012	€ 8,80	Label with message “ PORTA DI SICUREZZA ALLARMATA ”
PE/AV014	€ 17,30	Label with message “ VIA DI FUGA Dx e Sx ”
PE/AV018	€ 8,80	Label with message “ ALLARME PORTA APERTA ”
PE/AV020	€ 17,30	Label with message “ AREA PER FUMATORI ”
PE/AV031	€ 8,80	Label with message “ USCITA DI SICUREZZA ”
PE/AV053	€ 17,30	Label with message, “ VIA DI FUGA AVANTI ”
LABEL OEM		
CODE	PRICE	DESCRIPTION
PE/OEM	€ 25,00	For quantity from 1 up to 15 pcs max carving membrane (PVC+ adhesive) with any writing without tool's price
PE/OEM V	€ 25,00	For quantity from 1 up to 15 pcs max carving membrane (PVC+ adhesive) with any writing without tool's price for series K and P

SALES CONDITIONS

PREMISE The following sales conditions are applicable to all sales, both in Italy and abroad. The submission of orders and pick-up of all materials belonging to AVOTEC S.r.l. immediately imply the full acceptance of all sales conditions mentioned below.

1. VALIDITY OF SALES ORDERS The sales orders taken by our sales agents are binding only if confirmed by AVOTEC S.r.l. via a written statement, with AVOTEC S.r.l. reserving the right to accept or void any order.

2. PRICE LIST The prices on the list are only per product and do not include taxes, insurance, pallets or packaging and transport costs. The list is subject to change and it is the responsibility of AVOTEC S.r.l. to inform its clients within 30 days of the price change, with exceptions.

3. MINIMUM ORDER AVOTEC S.r.l. reserves the right not to dispatch any order inferior to €150,00 (one-hundred and fifty).

4. ORDER DISPATCH The terms of consignment and dispatch of orders should be agreed upon with the AVOTEC S.r.l. sales department. Lateness of delivery will not be penalized in any way. In the case of a modification to an order, the delivery date shall be calculated based on the date of the modification.

5. HIGHER POWER The order cannot be voided or penalized for late delivery due to higher powers such as: fire, flood, strike, lock-outs, interruption of transport, accidents, missed delivery from suppliers, border delays or any other cause not controlled by AVOTEC S.r.l.

6. TRANSPORT Transport and delivery must be chosen by the client, unless otherwise stated. The choice of delivery service is not the responsibility of AVOTEC S.r.l. The material in consignment is at the risk of the client even if the material is sold including delivery costs. The materials delivered by AVOTEC S.r.l. will be insured only at the specific request of the client.

7. COMPLAINTS Any and all complaints concerning orders will be accepted only by registered mail delivered to AVOTEC S.r.l.'s legal headquarters within eight days of the delivery of the material.

8. PAYMENT CONDITIONS Payment of all orders will be via a non-transferrable cashier's cheque or cash money. Any other form of payment must be agreed to with AVOTEC S.r.l.'s management. Missed or late payments of all or part of an order will authorize AVOTEC S.r.l. to suspend an ongoing order and/or annul any eventual supply contracts, and reserve the right to assess and be compensated for any potential damages.

9. PROPRIETY RIGHTS Any purchase made by any client constitutes the recognition of all industrial patents belonging to AVOTEC S.r.l., and the client recognizes and respects the industrial patents whether indicated or not on any products or packaging, as well as the trade marks on the products themselves.

10. GUARANTEE The guarantee covers two (2) years from the production date of the product. Returns will be accepted only if accompanied by a technical description of the defect. Transport for the returns will not be the responsibility of AVOTEC S.r.l. Any returns not covered by the guarantee will be replaced with a cost of 70% of the list price.

11. APPLICABLE LAWS Eventual legal matters will be taken up in a court of Italian Law.

12. LEGAL PROCEEDINGS All other legal problems relative to the supply of AVOTEC S.r.l. materials will be handled by the tribunal of Monza.